

# SAFETY DATA SHEET

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier			
Trade name or designation of the mixture	CIM 1061 Activator		
Registration number	-		
Synonyms	CIM Activator		
Issue date	13-July-2016		
Version number	01		
1.2. Relevant identified uses of the	ne substance or mixture and us	es advised against	
Identified uses	Waterproofing, chemical contain	ment, secondary containment	
Uses advised against	None known.		
1.3. Details of the supplier of the	safety data sheet		
Supplier			
Company name	CIM INDUSTRIES INC		
Address	6900 NELMS STREET		
	HOUSTON, TX 77061		
	United States		
Division	A CHASE CORPORATION COM	IPANY	
Telephone	General Assistance	800 543-3458	
e-mail	info@chasecorp.com		
Contact person	Not available.		
1.4. Emergency telephone number	Chemtrec (US - 24 hrs)	800 424-9300	
	Chemtrec (INTL - 24 hrs)	703-527-3887	
SECTION 2: Hazards identi	fication		

# 2.1. Classification of the substance or mixture

Classification

The mixture has been assessed and/or tested for its physical, health and environmental hazards and the following classification applies.

#### Classification according to Directive 67/548/EEC or 1999/45/EC as amended

T+;R26, T;R25-48/25, Xn;R48/20, Xi;R36/37/38, R42/43, N;R51/53

The full text for all R-phrases is displayed in section 16.

### Classification according to Regulation (EC) No 1272/2008 as amended

Health hazards		
Acute toxicity, oral	Category 4	H302 - Harmful if swallowed.
Acute toxicity, inhalation	Category 4	H332 - Harmful if inhaled.
Skin corrosion/irritation	Category 2	H315 - Causes skin irritation.
Serious eye damage/eye irritation	Category 2	H319 - Causes serious eye irritation.
Respiratory sensitisation	Category 1	H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled.
Skin sensitisation	Category 1	H317 - May cause an allergic skin reaction.

	Carcinogenicity		Category 2	H351 - Suspected of causing cancer.
	Specific target organ toxicity - single exposure		Category 3 respiratory tract irritation	H335 - May cause respiratory irritation.
	Specific target organ toxi exposure	city - repeated	Category 2	H373 - May cause damage to organs through prolonged or repeated exposure.
Hazard	summary			
Ph	ysical hazards	Not classified fo	r physical hazards.	
He	alth hazards	May cause cancer. Also toxic if swallowed. Also very toxic by inhalation. Irritating to eyes, respiratory system and skin. May cause sensitisation by inhalation and skin contact. Also harmful danger of serious damage to health by prolonged exposure through inhalation. Also toxic: danger of serious damage to health by prolonged exposure if swallowed. Occupational exposure to the substance or mixture may cause adverse health effects.		
En	vironmental hazards	ironmental hazards Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment		effects in the aquatic environment.
Sp	Specific hazards None known.			

 Main symptoms
 Dermatitis. Rash. Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. May cause respiratory irritation. Difficulty in breathing. Skin irritation. May cause redness and pain. May cause an allergic skin reaction. Prolonged exposure may cause chronic effects.

4,4'-METHYLENEDIPHENYL DIISOCYANATE, TRIETHYL PHOSPHATE; (TEP)

#### 2.2. Label elements

#### Label according to Regulation (EC) No. 1272/2008 as amended

Danger

Contains:

Hazard pictograms

Signal word

Hazard statements	
H302	Harmful if swallowed.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H335	May cause respiratory irritation.
H351	Suspected of causing cancer.
H373	May cause damage to organs through prolonged or repeated exposure.

#### **Precautionary statements**

#### Prevention

P201	Obtain special instructions before use.
P202	Do not handle until all safety precautions have been read and understood.
P260	Do not breathe mist or vapour.
P264	Wash thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P271	Use only outdoors or in a well-ventilated area.
P272	Contaminated work clothing should not be allowed out of the workplace.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P284	Wear respiratory protection.
Response	
P301 + P312	IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.
P302 + P352	IF ON SKIN: Wash with plenty of water.
P304 + P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present
	and easy to do. Continue rinsing.
P308 + P313	IF exposed or concerned: Get medical advice/attention.
P312	Call a POISON CENTER/doctor if you feel unwell.
P321	Specific treatment (see this label).
P330	Rinse mouth.
P333 + P313	If skin irritation or rash occurs: Get medical advice/attention.
P337 + P313	If eye irritation persists: Get medical advice/attention.
P342 + P311	If experiencing respiratory symptoms: Call a POISON CENTER/doctor.
P362 + P364	Take off contaminated clothing and wash it before reuse.

#### Storage

P403 + P233 P405	Store in a well-ventilated place. Keep container tightly closed. Store locked up.				
Disposal					
P501	Dispose of contents	s/container in accor	dance with local/regional/nati	onal/international	regulations.
Supplemental label information	I information 98 % of the mixture consists of component(s) of unknown acute oral toxicity. 30,5 % of the mixture consists of component(s) of unknown acute inhalation toxicity.		of the mixture		
2.3. Other hazards	None known.				
<b>SECTION 3: Composition/i</b>	nformation on i	ngredients			
3.2. Mixtures					
General information					
Chemical name	%	CAS-No. / EC No.	REACH Registration No.	INDEX No.	Notes
4,4'-METHYLENEDIPHENYL DIISOCYANATE	60 - < 70	26447-40-5 247-714-0	-	615-005-00-9	
Classification: DSI	: Carc. Cat. 3;R40	), Xn;R20-48/20, Xi;	R36/37/38, R42/43		C,2
CLP	: Skin Irrit. 2;H315 Resp. Sens. 1;H	5, Skin Sens. 1;H31 334, STOT SE 3;H3	7, Eye Irrit. 2;H319, Acute To: 335, Carc. 2;H351, STOT RE	x. 4;H332, 2;H373	2,C
TRIETHYL PHOSPHATE; (TE	P) 1 - < 3	78-40-0 201-114-5	-	015-013-00-7	
Classification: DSI	): Xn;R22				
CLP	: Acute Tox. 4;H30	02, Acute Tox. 3;H3	31		
Other components below repo	table levels 30 - <	: 40			
Isomer					
Chemical name	%	CAS-No. / EC No.	REACH Registration No.	INDEX No.	Notes
4,4'-Methylenediphenyl diisocy	anate 61 - 66	101-68-8 202-966-0	-	615-005-00-9	
List of abbreviations and symbols that may be used above CLP: Regulation No. 1272/2008. DSD: Directive 67/548/EEC. M: M-factor vPvB: very persistent and very bioaccumulative substance. PBT: persistent, bioaccumulative and toxic substance. #: This substance has been assigned Community workplace exposure limit(s).					
	isomer that is part of	of CAS 26447-40-5			
SECTION 4: First aid meas	ures				
General information	<b>General information</b> IF exposed or concerned: Get medical advice/attention. If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor attendance. Wash contaminated clothing before reuse.			al advice erial(s) he doctor in	
4.1. Description of first aid meas	ures				
Inhalation	Inhalation Remove victim to fresh air and keep at rest in a position comfortable for breathing. Oxygen or artificial respiration if needed. Do not use mouth-to-mouth method if victim inhaled the substance Induce artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. If experiencing respiratory symptoms: Call a POISON CENTF or doctor/physician.			sygen or substance. ve or other ON CENTRE	
Skin contact	Remove contamina contaminated cloth along these instruc	ated clothing immed ing. In case of ecze tions. Wash contan	iately and wash skin with soa ma or other skin disorders: S ninated clothing before reuse.	p and water. Rem eek medical atten	ove tion and take
Eye contact	Immediately flush e present and easy to	eyes with plenty of v o do. Continue rinsi	vater for at least 15 minutes. ng. Get medical attention if irr	Remove contact le itation develops a	enses, if nd persists.
Ingestion	Rinse mouth. If vor Get medical advice	miting occurs, keep e/attention if you fee	head low so that stomach co I unwell.	ntent doesn't get ir	nto the lungs.
4.2. Most important symptoms and effects, both acute and delayed	Dermatitis. Rash. E tearing, redness, sy cause redness and	Difficulty in breathing welling, and blurred I pain. May cause a	g. Severe eye irritation. Symp vision. May cause respiratory n allergic skin reaction. Prolo	toms may include y irritation. Skin irri nged exposure ma	stinging, itation. May ay cause

Provide general supportive measures and treat symptomatically. Keep victim warm. Keep victim under observation. Symptoms may be delayed.

#### **SECTION 5: Firefighting measures**

General fire hazards	No unusual fire or explosion hazards noted.
5.1. Extinguishing media	
Suitable extinguishing media	Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).
Unsuitable extinguishing media	Water. Do not use water jet as an extinguisher, as this will spread the fire.
5.2. Special hazards arising from the substance or mixture	During fire, gases hazardous to health may be formed.
5.3. Advice for firefighters	
Special protective equipment for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
Special fire fighting procedures	Move containers from fire area if you can do so without risk.
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.

#### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

	For non-emergency personnel	Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Keep out of low areas. Wear appropriate protective equipment and clothing during clean-up. Do not breathe mist or vapour. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8.
	For emergency responders	Keep unnecessary personnel away. Use personal protection recommended in Section 8 of the SDS.
6.2	. Environmental precautions	Avoid discharge into drains, water courses or onto the ground.
6.3. Methods and material for containment and cleaning up		Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Prevent entry into waterways, sewer, basements or confined areas. Following product recovery, flush area with water.
		Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.
		Never return spills to original containers for re-use.
6.4 sec	. Reference to other ctions	For personal protection, see section 8. For waste disposal, see section 13 of the SDS.

#### **SECTION 7: Handling and storage**

7.1. Precautions for safe handling	Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not breathe mist or vapour. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Do not taste or swallow. When using, do not eat, drink or smoke. Use only outdoors or in a well-ventilated area. Should be handled in closed systems, if possible. Wear appropriate personal protective equipment. Wash hands thoroughly after handling. Observe good industrial hygiene practices.
7.2. Conditions for safe storage, including any incompatibilities	Store locked up. Store in original tightly closed container. Store in a well-ventilated place. Store away from incompatible materials (see Section 10 of the SDS).
7.3. Specific end use(s)	Not available.

#### **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

**Occupational exposure limits** 

Austria. MAK List, OEL Ordinance (GwV), BGBI. II, no. 184/2001

Isomer	Туре	Value	
4,4'-Methylenediphenyl diisocyanate (CAS 101-68-8)	Ceiling	0,1 mg/m3	
		0,01 ppm	
	MAK	0,05 mg/m3	
		0,005 ppm	

Belgium. Exposure Limit Values. Isomer	Туре	Value
4,4'-Methylenediphenyl diisocyanate (CAS 101-68-8)	TWA	0,052 mg/m3
		0,005 ppm
Bulgaria. OELs. Regulation No 13 on pr Isomer	otection of workers aga Type	ainst risks of exposure to chemical agents at work Value
4,4'-Methylenediphenyl diisocyanate (CAS 101-68-8)	STEL	0,07 mg/m3
(22.12.12.2)	TWA	0,05 mg/m3
Cyprus. OELs. Control of factory atmos Isomer	phere and dangerous s Type	substances in factories regulation, PI 311/73, as amended. Value
4,4'-Methylenediphenyl diisocyanate (CAS 101-68-8)	TWA	0,2 mg/m3
		0,02 ppm
Czech Republic. OELs. Government De Isomer	cree 361 Type	Value
4,4'-Methylenediphenyl diisocyanate (CAS 101-68-8)	Ceiling	0,1 mg/m3
	TWA	0,05 mg/m3
Denmark. Exposure Limit Values Isomer	Туре	Value
4,4'-Methylenediphenyl diisocyanate	TLV	0,05 mg/m3
(CAS 101-68-8)		0.005 ppm
Estonia, OELs, Occupational Exposure	Limits of Hazardous Su	ubstances. (Annex of Regulation No. 293 of 18 September
2001)		
Components	Туре	Value
4,4'-METHYLENEDIPHENY L DIISOCYANATE (CAS 26447-40-5)	Ceiling	0,01 ppm
20111 10 0)	TWA	0,005 ppm
Isomer	Туре	Value
4,4'-Methylenediphenyl diisocyanate (CAS 101-68-8)	Ceiling	0,1 mg/m3
	TWA	0,01 ppm 0,05 mg/m3 0,005 ppm
Finland. Workplace Exposure Limits		
Components	Туре	Value
4,4'-METHYLENEDIPHENY L DIISOCYANATE (CAS	STEL	0,035 mg/m3
Isomer	Туре	Value
4,4'-Methylenediphenyl diisocyanate (CAS 101-68-8)	STEL	0,035 mg/m3
France. Threshold Limit Values (VLEP) Isomer	for Occupational Expos Type	sure to Chemicals in France, INRS ED 984 Value
4,4'-Methylenediphenyl diisocyanate (CAS 101-68-8)	VLE	0,2 mg/m3
	VME	0,02 ppm 0,1 mg/m3 0,01 ppm

Germany. DFG MAK List (advisory OEL	s). Commission for the Investigation	on of Health Hazard	s of Chemical Compounds
in the Work Area (DFG)	Туре	Value	Form
			Inholohio fraction
diisocyanate (CAS 101-68-8)	TWA	0,05 mg/m3	Innalable fraction.
Germany. TRGS 900, Limit Values in the Isomer	e Ambient Air at the Workplace Type	Value	Form
4,4'-Methylenediphenyl diisocyanate (CAS 101-68-8)	AGW	0,05 mg/m3	Fume and aerosol.
Greece. OELs (Decree No. 90/1999, as a lsomer	mended) Type	Value	
4,4'-Methylenediphenyl diisocyanate (CAS 101-68-8)	STEL	0,2 mg/m3	
	TWA	0,02 ppm 0,2 mg/m3 0,02 ppm	
Hungary. OELs. Joint Decree on Chemi Isomer	cal Safety of Workplaces Type	Value	
4,4'-Methylenediphenyl diisocyanate (CAS 101-68-8)	STEL	0,05 mg/m3	
	TWA	0,05 mg/m3	
Iceland. OELs. Regulation 154/1999 on Isomer	occupational exposure limits Type	Value	
4,4'-Methylenediphenyl diisocyanate (CAS 101-68-8)	STEL	0,1 mg/m3	
	TWA	0,01 ppm 0,05 mg/m3 0,005 ppm	
Ireland. Occupational Exposure Limits Components	Туре	Value	
4,4'-METHYLENEDIPHENY L DIISOCYANATE (CAS 26447-40-5)	STEL	0,07 mg/m3	
,	TWA	0,02 mg/m3	
Isomer	Туре	Value	
4,4'-Methylenediphenyl diisocyanate (CAS 101-68-8)	STEL	0,07 mg/m3	
· · · · · ·	TWA	0,02 mg/m3	
Italy. Occupational Exposure Limits Isomer	Туре	Value	
4,4'-Methylenediphenyl diisocyanate (CAS 101-68-8)	TWA	0,005 ppm	
Lithuania. OELs. Limit Values for Chen	nical Substances, General Require	ments	
Components	Туре	Value	
4,4'-METHYLENEDIPHENY L DIISOCYANATE (CAS 26447-40-5)	Ceiling	0,01 ppm	
	TWA	0,005 ppm	
Isomer	Гуре	Value	
4,4'-Methylenediphenyl diisocyanate (CAS 101-68-8)	Ceiling	0,1 mg/m3	
	TWA	0,01 ppm 0,05 mg/m3 0,005 ppm	

#### Norway. Administrative Norms for Contaminants in the Workplace Components Type

Components	Туре	Value	
4,4'-METHYLENEDIPHENY L DIISOCYANATE (CAS 26447-40-5)	STEL	0,01 ppm	
	TLV	0,005 ppm	
Isomer	Туре	Value	
4,4'-Methylenediphenyl diisocyanate (CAS 101-68-8)	STEL	0,01 ppm	
	TLV	0,05 mg/m3	
		0,005 ppm	

# Poland. MACs. Regulation regarding maximum permissible concentrations and intensities of harmful factors in the work environment, Annex 1

Components	Туре	Value
4,4'-METHYLENEDIPHENY L DIISOCYANATE (CAS 26447-40-5)	STEL	0,09 mg/m3
	TWA	0,03 mg/m3
Isomer	Туре	Value
4,4'-Methylenediphenyl diisocyanate (CAS 101-68-8)	STEL	0,09 mg/m3
	TWA	0,03 mg/m3
Portugal. VLEs. Norm on occupati	onal exposure to chemical ac	jents (NP 1796)
Isomer	Туре	Value
4,4'-Methylenediphenyl diisocyanate (CAS 101-68-8)	TWA	0,005 ppm
Romania. OELs. Protection of wor	kers from exposure to chemi	cal agents at the workplace
Components	Туре	Value
4,4'-METHYLENEDIPHENY L DIISOCYANATE (CAS 26447-40-5)	STEL	0,2 mg/m3
Isomer	Туре	Value
4,4'-Methylenediphenyl diisocyanate (CAS 101-68-8)	STEL	0,15 mg/m3
Slovakia. OELs. Regulation No. 30 Isomer	0/2007 concerning protection Type	of health in work with chemical agents Value
4,4'-Methylenediphenyl diisocyanate (CAS 101-68-8)	TWA	0,03 mg/m3
(		0,002 ppm
Slovenia. OELs. Regulations conc (Official Gazette of the Republic or	erning protection of workers f Slovenia)	against risks due to exposure to chemicals while working
Isomer	Туре	Value
4,4'-Methylenediphenyl diisocyanate (CAS 101-68-8)	TWA	0,05 mg/m3
Spain. Occupational Exposure Lin	nits	
Isomer	Туре	Value
4,4'-Methylenediphenyl diisocyanate (CAS 101-68-8)	TWA	0,052 mg/m3
-		0,005 ppm
Sweden. Occupational Exposure L	₋imit Values	
Components	Туре	Value
4,4'-METHYLENEDIPHENY L DIISOCYANATE (CAS 26447-40-5)	Ceiling	0,005 ppm

### Sweden. Occupational Exposure Limit Values

Components	Туре		Va	lue
	TWA		0,0	002 ppm
Isomer	Туре		Va	lue
4,4'-Methylenediphenyl diisocyanate (CAS 101-68-8)	Ceilin	g	0,0	05 mg/m3
(CAS 101-06-6)			0,0	005 ppm
	IVVA		0,0 0,0	002 ppm
Switzerland. SUVA Grenzwer	rte am Arbeitsplatz			
Components	Туре		Va	lue
4,4'-METHYLENEDIPHENY L DIISOCYANATE (CAS 26447-40-5)	STEL		0,0	02 mg/m3
	TWA		0,0	)2 mg/m3
Isomer	Туре		Va	lue
4,4'-Methylenediphenyl diisocyanate (CAS 101-68-8)	STEL		0,0	02 mg/m3
(	TWA		0,0	02 mg/m3
UK. EH40 Workplace Exposu	re Limits (WELs)		N.	lue -
Components	Туре		va	lue
4,4'-METHYLENEDIPHENY L DIISOCYANATE (CAS 26447-40-5)	STEL		0,0	)7 mg/m3
_	TWA		0,0	)2 mg/m3
Isomer	Туре		Va	lue
4,4'-Methylenediphenyl diisocyanate (CAS 101-68-8)	STEL		0,0	)7 mg/m3
	TWA		0,0	)2 mg/m3
Biological limit values Switzerland. BAT-Werte (Bio	logical Limit Values	in the Workplace	as per SUVA)	
Isomer Va	alue	Determinant	Specimen	Sampling time
4,4'-Methylenediphenyl 10 diisocyanate (CAS 101-68-8)	) hð\ð	4,4'-Diaminodip henylmethan	Creatinine in urine	*
* - For sampling details, please	see the source docu	ment.		
procedures	Follow standard mor	nitoring procedures		
Derived no-effect level (DNEL)	Not available.			
Predicted no effect concentrations (PNECs)	Not available.			
8.2. Exposure controls				
Appropriate engineering controls	Good general ventila should be matched t or other engineering exposure limits have wash facilities and en	ation (typically 10 a o conditions. If app controls to maintai not been establish mergency shower r	ir changes per h blicable, use prod in airborne level ned, maintain air must be availabl	nour) should be used. Ventilation rates cess enclosures, local exhaust ventilation, s below recommended exposure limits. If rborne levels to an acceptable level. Eye le when handling this product.
Individual protection measures, s	such as personal pro	otective equipmer	nt	
General information	Use personal protect according to the CEN equipment.	tive equipment as r N standards and in	required. Persor discussion with	nal protection equipment should be chosen the supplier of the personal protective
Eye/face protection	Wear safety glasses	with side shields.		
- Hand protection				
Othor	Wear appropriate ch	emical resistant glo	oves.	
- Ottiel	Wear appropriate ch	emical resistant glo	oves. othing	

Thermal hazards	Wear appropriate thermal protective clothing, when necessary.
Hygiene measures	Keep away from food and drink. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Contaminated work clothing should not be allowed out of the workplace.
Environmental exposure controls	Environmental manager must be informed of all major releases.

#### s

controls			
<b>SECTION 9: Physical and</b>	chemical properties		
9.1. Information on basic physical and chemical properties			
Appearance			
Physical state	Liquid.		
Form	Liquid.		
Colour	Amber.		
Odour	Mild.		
Odour threshold	Not available.		
рН	Not available.		
Melting point/freezing point	71,11 °C (160 °F)		
Initial boiling point and boiling range	313,89 °C (597 °F) (Decomposes)		
Flash point	218,3 °C (425,0 °F)		
Evaporation rate	Not available.		
Flammability (solid, gas)	Not available.		
Upper/lower flammability or exp	losive limits		
Flammability limit - lower (%)	Not available.		
Flammability limit - upper (%)	Not available.		
Vapour pressure	0,0003 mm Hg		
Vapour density	Not available.		
Relative density	Not available.		
Solubility(ies)			
Solubility (water)	Not available.		
Solubility (other)	Not available.		
Partition coefficient (n-octanol/water)	Not available.		
Auto-ignition temperature	Not available.		
Decomposition temperature	Not available.		

Decomposition temperature	NUL available.
Viscosity	Not available.
Explosive properties	Not available.
Oxidising properties	Not available.
9.2. Other information	
Specific gravity	1,2 estimated

# **SECTION 10: Stability and reactivity**

The product is stable and non-reactive under normal conditions of use, storage and transport.
Material is stable under normal conditions.
No dangerous reaction known under conditions of normal use.
Avoid temperatures exceeding the flash point. Contact with incompatible materials.
Strong oxidising agents.
No hazardous decomposition products are known.

# **SECTION 11: Toxicological information**

Occupational exposure to the substance or mixture may cause adverse effects.

**General information** 

Information on likely routes of e	xposure		
Inhalation	Harmful if inhaled. May cause inhalation. May cause	e damage to organs through prolonged or repeated exposure by or asthma symptoms or breathing difficulties if inhaled.	
Skin contact	Causes skin irritation. May ca	use an allergic skin reaction.	
Eye contact	Causes serious eye irritation.		
Ingestion	Harmful if swallowed.		
Symptoms	Dermatitis. Rash. Difficulty in tearing, redness, swelling, an cause an allergic skin reactio	breathing. Severe eye irritation. Symptoms may include stinging, d blurred vision. Skin irritation. May cause redness and pain. May n. May cause respiratory irritation.	
11.1. Information on toxicologic	al effects		
Acute toxicity	Harmful if inhaled. Harmful if respiratory irritation.	swallowed. May cause an allergic skin reaction. May cause	
Components	Species	Test results	
TRIETHYL PHOSPHATE; (TEP) (	CAS 78-40-0)		
<u>Acute</u>			
Dermal			
LD50	Guinea pig	> 21,4 g/kg	
	Rabbit	> 20 g/kg	
Inhalation			
LC50	Rat	> 8,817 mg/l, 4 Hours	
Oral			
LD50	Mouse	> 1,5 g/kg	
	Rabbit	1,6 g/kg	
	Rat	1,6 g/kg	
Isomer	Species	Test results	
4,4'-Methylenediphenyl diisocyana	ite (CAS 101-68-8)		
<u>Acute</u>			
LC50	Rat	0,369 mg/l, 4 Hours	
* Estimates for product may b	e based on additional compone	nt data not shown.	
Skin corrosion/irritation	Causes skin irritation.		
Serious eye damage/eye irritation	Causes serious eye irritation.		
Respiratory sensitisation	May cause allergy or asthma	symptoms or breathing difficulties if inhaled.	
Skin sensitisation	May cause an allergic skin re	action.	
Germ cell mutagenicity	Due to partial or complete lac	k of data the classification is not possible.	
Carcinogenicity	Suspected of causing cancer		
IARC Monographs. Overall	Evaluation of Carcinogenicity	,	
4,4'-Methylenediphenyl d 4,4'-METHYLENEDIPHE 26447-40-5)	iisocyanate (CAS 101-68-8) NYL DIISOCYANATE (CAS	<ul><li>3 Not classifiable as to carcinogenicity to humans.</li><li>3 Not classifiable as to carcinogenicity to humans.</li></ul>	
Reproductive toxicity	Due to partial or complete lac	k of data the classification is not possible.	
Specific target organ toxicity - single exposure	May cause respiratory irritation	on.	
Specific target organ toxicity - repeated exposure	May cause damage to organs	s through prolonged or repeated exposure.	
Aspiration hazard	Due to partial or complete lac	k of data the classification is not possible.	
Mixture versus substance information	No information available.		
Other information	Not available.		
SECTION 12: Ecological in	nformation		

12.1. Toxicity

The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Components		Species	Test results
TRIETHYL PHOSPHATE; (TEP) (	CAS 78-40-0)		
Aquatic			
Fish	LC50	Fathead minnow (Pimephales promelas)	> 100 mg/l, 96 hours
* Estimates for product may be	e based on addit	tional component data not shown.	
12.2. Persistence and degradability	No data is ava	ilable on the degradability of this product.	
12.3. Bioaccumulative potential	Not available.		
Partition coefficient n-octanol/water (log Kow) TRIETHYL PHOSPHATE; (TE	EP)	0,8	
Bioconcentration factor (BCF)	Not available.		
12.4. Mobility in soil	No data availa	ble.	
12.5. Results of PBT and vPvB assessment	Not a PBT or v	PvB substance or mixture.	
12.6. Other adverse effects	No other adver potential, endo	rse environmental effects (e.g. ozone depl perine disruption, global warming potential)	etion, photochemical ozone creation are expected from this component.
SECTION 13: Disposal cor	nsiderations		

#### isposal considerations I J . U

### 13.1. Waste treatment methods

Residual waste	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).
Contaminated packaging	Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may retain product residue, follow label warnings even after container is emptied.
EU waste code	The Waste code should be assigned in discussion between the user, the producer and the waste disposal company.
Disposal methods/information	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of contents/container in accordance with local/regional/national/international regulations.
Special precautions	Dispose in accordance with all applicable regulations.

### **SECTION 14: Transport information**

#### ADR

	14.1. UN number	UN2206
	14.2. UN proper shipping	ISOCYANATES, TOXIC, N.O.S. or ISOCYANATE SOLUTION, TOXIC, N.O.S.
	name	(4,4'-METHYLENEDIPHENYL DIISOCYANATE)
	14.3. Transport hazard class(	les)
	Class	6.1(PGIII)
	Subsidiary risk	-
	Label(s)	6.1
	Hazard No. (ADR)	60
	Tunnel restriction code	E
	14.4. Packing group	III
	14.5. Environmental hazards	No.
	14.6. Special precautions	Read safety instructions, SDS and emergency procedures before handling.
	for user	
RID		
	14.1. UN number	UN2206
	14.2. UN proper shipping	ISOCYANATES, TOXIC, N.O.S. or ISOCYANATE SOLUTION, TOXIC, N.O.S.
	name	(4,4'-METHYLENEDIPHENYL DIISOCYANATE)
	14.3. Transport hazard class(	(es)
	Class	6.1(PGIII)
	Subsidiary risk	-
	Label(s)	6.1
	14.4. Packing group	11
	14.5. Environmental hazards	No.
	14.6. Special precautions	Read safety instructions, SDS and emergency procedures before handling.
	for user	
ADI	N	
	14.1. UN number	UN2206

Isocyanates, Toxic, [or isocyanate solution, toxic, n.o.s.] (4,4'-METHYLENEDIPHENYL 14.2. UN proper shipping DIISOCYANATE) name 14.3. Transport hazard class(es) Class 6.1(PGIII) Subsidiary risk 61 Label(s) Ш 14.4. Packing group 14.5. Environmental hazards No. 14.6. Special precautions Read safety instructions, SDS and emergency procedures before handling. for user

#### ΙΑΤΑ

Not regulated as dangerous goods.

#### IMDG

Not regulated as dangerous goods.14.7. Transport in bulkNot available.according to Annex II of Marpol

#### and the IBC Code

ADN; ADR; RID



#### **SECTION 15: Regulatory information**

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I and II, as amended Not listed.

Regulation (EC) No. 850/2004 On persistent organic pollutants, Annex I as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended Not listed.

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry, as amended Not listed.

Regulation (EC) No. 1907/2006, REACH Article 59(10) Candidate List as currently published by ECHA Not listed.

#### Authorisations

Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorization, as amended Not listed.

#### **Restrictions on use**

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use as amended 4.4'-Methylenediphenyl diisocyanate (CAS 101-68-8)

4,4'-METHYLENEDIPHENYL DIISOCYANATE (CAS 26447-40-5)

Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work, as amended

Not listed.

Directive 92/85/EEC: on the safety and health of pregnant workers and workers who have recently given birth or are breastfeeding, as amended

4,4'-Methylenediphenyl diisocyanate (CAS 101-68-8)

#### Other EU regulations

#### Directive 2012/18/EU on major accident hazards involving dangerous substances

Not listed.

Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work, as amended

4,4'-Methylenediphenyl diisocyanate (CAS 101-68-8)
4 A'-METHYLENEDIPHENYL DIISOCYANATE (CAS 26447-40-5

4,4'-METHYLENEDIPHENYL DIISOCYANATE (CAS 26447-40-5) TRIETHYL PHOSPHATE; (TEP) (CAS 78-40-0)

#### Directive 94/33/EC on the protection of young people at work, as amended

4,4'-Methylenediphenyl diisocyanate (CAS 101-68-8)

4,4'-METHYLENEDIPHENYL DIISOCYANATE (CAS 26447-40-5)

Other regulations	The product is classified and labelled in accordance with EC directives or respective national laws. This Safety Data Sheet complies with the requirements of Regulation (EC) No 1907/2006. Pregnant women should not work with the product, if there is the least risk of exposure.
National regulations	Young people under 18 years old are not allowed to work with this product according to EU Directive 94/33/EC on the protection of young people at work. Follow national regulation for work with chemical agents.
15.2. Chemical safety assessment	No Chemical Safety Assessment has been carried out.

#### **SECTION 16: Other information**

List of abbreviations	Not available.
References	Not available.
Information on evaluation method leading to the classification of mixture	The classification for health and environmental hazards is derived by a combination of calculation methods and test data, if available.
Full text of any statements or R-phrases and H-statements	
under Sections 2 to 15	<ul> <li>R20 Harmful by inhalation.</li> <li>R22 Harmful if swallowed.</li> <li>R25 Also toxic if swallowed.</li> <li>R26 Also very toxic by inhalation.</li> <li>R36/37/38 Irritating to eyes, respiratory system and skin.</li> <li>R40 Limited evidence of a carcinogenic effect.</li> <li>R42/43 May cause sensitisation by inhalation and skin contact.</li> <li>R45 May cause sensitisation by inhalation and skin contact.</li> <li>R48/20 Harmful: danger of serious damage to health by prolonged exposure through inhalation.</li> <li>R48/25 Also toxic: danger of serious damage to health by prolonged exposure if swallowed.</li> <li>R51/53 Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.</li> <li>H302 Harmful if swallowed.</li> <li>H315 Causes skin irritation.</li> <li>H317 May cause an allergic skin reaction.</li> <li>H317 May cause an allergic skin reaction.</li> <li>H331 Toxic if inhaled.</li> <li>H332 Harmful if inhaled.</li> <li>H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.</li> <li>H335 May cause respiratory irritation.</li> <li>H351 Suspected of causing cancer.</li> <li>H373 May cause damage to progend or repeated exposure</li> </ul>
Revision information	None.
Training information	Follow training instructions when handling this material.
Issued by	Dan Libby
Disclaimer	The information offered in this data sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication, however, no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process. This material is intended for industrial use only. No warranty, expressed or implied is made.