

SAFETY DATA SHEET

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name or designation of the mixture	CIM 800 Activator
Registration number	-
Synonyms	CIM Activator
Issue date	13-July-2016
Version number	01

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses	Waterproofing, chemical containment, secondary containment
Uses advised against	None known.

1.3. Details of the supplier of the safety data sheet

Supplier

Company name	CIM INDUSTRIES INC	
Address	6900 NELMS STREET HOUSTON, TX 77061 United States	
Division	A CHASE CORPORATION COMPANY	
Telephone	General Assistance	800 543-3458
e-mail	info@chasecorp.com	
Contact person	Not available.	

1.4. Emergency telephone number	Chemtrec (US - 24 hrs)	800 424-9300
	Chemtrec (INTL - 24 hrs)	703-527-3887

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

The mixture has been assessed and/or tested for its physical, health and environmental hazards and the following classification applies.

Classification according to Directive 67/548/EEC or 1999/45/EC as amended

Classification T+;R26, T;R25-48/25, Xn;R48/20, Xi;R36/37/38, R42/43, N;R51/53

The full text for all R-phrases is displayed in section 16.

Classification according to Regulation (EC) No 1272/2008 as amended

Health hazards

Acute toxicity, oral	Category 4	H302 - Harmful if swallowed.
Acute toxicity, inhalation	Category 4	H332 - Harmful if inhaled.
Skin corrosion/irritation	Category 2	H315 - Causes skin irritation.
Serious eye damage/eye irritation	Category 2	H319 - Causes serious eye irritation.
Respiratory sensitisation	Category 1	H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled.
Skin sensitisation	Category 1	H317 - May cause an allergic skin reaction.

Carcinogenicity	Category 2	H351 - Suspected of causing cancer.
Specific target organ toxicity - single exposure	Category 3 respiratory tract irritation	H335 - May cause respiratory irritation.
Specific target organ toxicity - repeated exposure	Category 2	H373 - May cause damage to organs through prolonged or repeated exposure.

Hazard summary

Physical hazards	Not classified for physical hazards.
Health hazards	May cause cancer. Also toxic if swallowed. Also very toxic by inhalation. Irritating to eyes, respiratory system and skin. May cause sensitisation by inhalation and skin contact. Also harmful: danger of serious damage to health by prolonged exposure through inhalation. Also toxic: danger of serious damage to health by prolonged exposure if swallowed. Occupational exposure to the substance or mixture may cause adverse health effects.
Environmental hazards	Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
Specific hazards	None known.
Main symptoms	Dermatitis. Rash. Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. May cause respiratory irritation. Difficulty in breathing. Skin irritation. May cause redness and pain. May cause an allergic skin reaction. Prolonged exposure may cause chronic effects.

2.2. Label elements

Label according to Regulation (EC) No. 1272/2008 as amended

Contains: 4,4'-METHYLENEDIPHENYL DIISOCYANATE, TRIETHYL PHOSPHATE; (TEP)

Hazard pictograms



Signal word

Danger

Hazard statements

H302	Harmful if swallowed.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H335	May cause respiratory irritation.
H351	Suspected of causing cancer.
H373	May cause damage to organs through prolonged or repeated exposure.

Precautionary statements

Prevention

P201	Obtain special instructions before use.
P202	Do not handle until all safety precautions have been read and understood.
P260	Do not breathe mist or vapour.
P264	Wash thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P271	Use only outdoors or in a well-ventilated area.
P272	Contaminated work clothing should not be allowed out of the workplace.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P284	Wear respiratory protection.

Response

P301 + P312	IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.
P302 + P352	IF ON SKIN: Wash with plenty of water.
P304 + P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P308 + P313	IF exposed or concerned: Get medical advice/attention.
P312	Call a POISON CENTER/doctor if you feel unwell.
P321	Specific treatment (see this label).
P330	Rinse mouth.
P333 + P313	If skin irritation or rash occurs: Get medical advice/attention.
P337 + P313	If eye irritation persists: Get medical advice/attention.
P342 + P311	If experiencing respiratory symptoms: Call a POISON CENTER/doctor.
P362 + P364	Take off contaminated clothing and wash it before reuse.

Storage

P403 + P233
P405

Store in a well-ventilated place. Keep container tightly closed.
Store locked up.

Disposal

P501

Dispose of contents/container in accordance with local/regional/national/international regulations.

Supplemental label information 98 % of the mixture consists of component(s) of unknown acute oral toxicity. 30,5 % of the mixture consists of component(s) of unknown acute inhalation toxicity.

2.3. Other hazards None known.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

General information

Chemical name	%	CAS-No. / EC No.	REACH Registration No.	INDEX No.	Notes
4,4'-METHYLENEDIPHENYL DIISOCYANATE	60 - < 70	26447-40-5 247-714-0	-	615-005-00-9	
Classification:	DSD: Carc. Cat. 3;R40, Xn;R20-48/20, Xi;R36/37/38, R42/43				C,2
	CLP: Skin Irrit. 2;H315, Skin Sens. 1;H317, Eye Irrit. 2;H319, Acute Tox. 4;H332, Resp. Sens. 1;H334, STOT SE 3;H335, Carc. 2;H351, STOT RE 2;H373				2,C
TRIETHYL PHOSPHATE; (TEP)	1 - < 3	78-40-0 201-114-5	-	015-013-00-7	
Classification:	DSD: Xn;R22				
	CLP: Acute Tox. 4;H302, Acute Tox. 3;H331				

Other components below reportable levels 30 - < 40

Isomer

Chemical name	%	CAS-No. / EC No.	REACH Registration No.	INDEX No.	Notes
4,4'-Methylenediphenyl diisocyanate	61 - 66	101-68-8 202-966-0	-	615-005-00-9	

List of abbreviations and symbols that may be used above

CLP: Regulation No. 1272/2008.

DSD: Directive 67/548/EEC.

M: M-factor

vPvB: very persistent and very bioaccumulative substance.

PBT: persistent, bioaccumulative and toxic substance.

#: This substance has been assigned Community workplace exposure limit(s).

Composition comments The full text for all R- and H-phrases is displayed in section 16. Note: CAS 101-68-8 is an MDI isomer that is part of CAS 26447-40-5

SECTION 4: First aid measures

General information

IF exposed or concerned: Get medical advice/attention. If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance. Wash contaminated clothing before reuse.

4.1. Description of first aid measures

Inhalation

Remove victim to fresh air and keep at rest in a position comfortable for breathing. Oxygen or artificial respiration if needed. Do not use mouth-to-mouth method if victim inhaled the substance. Induce artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. If experiencing respiratory symptoms: Call a POISON CENTRE or doctor/physician.

Skin contact

Remove contaminated clothing immediately and wash skin with soap and water. Remove contaminated clothing. In case of eczema or other skin disorders: Seek medical attention and take along these instructions. Wash contaminated clothing before reuse.

Eye contact

Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.

Ingestion

Rinse mouth. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs. Get medical advice/attention if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

Dermatitis. Rash. Difficulty in breathing. Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. May cause respiratory irritation. Skin irritation. May cause redness and pain. May cause an allergic skin reaction. Prolonged exposure may cause chronic effects.

4.3. Indication of any immediate medical attention and special treatment needed

Provide general supportive measures and treat symptomatically. Keep victim warm. Keep victim under observation. Symptoms may be delayed.

SECTION 5: Firefighting measures

General fire hazards

No unusual fire or explosion hazards noted.

5.1. Extinguishing media

Suitable extinguishing media

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO₂).

Unsuitable extinguishing media

Water. Do not use water jet as an extinguisher, as this will spread the fire.

5.2. Special hazards arising from the substance or mixture

During fire, gases hazardous to health may be formed.

5.3. Advice for firefighters

Special protective equipment for firefighters

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Special fire fighting procedures

Move containers from fire area if you can do so without risk.

Specific methods

Use standard firefighting procedures and consider the hazards of other involved materials.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Keep out of low areas. Wear appropriate protective equipment and clothing during clean-up. Do not breathe mist or vapour. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8.

For emergency responders

Keep unnecessary personnel away. Use personal protection recommended in Section 8 of the SDS.

6.2. Environmental precautions

Avoid discharge into drains, water courses or onto the ground.

6.3. Methods and material for containment and cleaning up

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Prevent entry into waterways, sewer, basements or confined areas. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use.

6.4. Reference to other sections

For personal protection, see section 8. For waste disposal, see section 13 of the SDS.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not breathe mist or vapour. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Do not taste or swallow. When using, do not eat, drink or smoke. Use only outdoors or in a well-ventilated area. Should be handled in closed systems, if possible. Wear appropriate personal protective equipment. Wash hands thoroughly after handling. Observe good industrial hygiene practices.

7.2. Conditions for safe storage, including any incompatibilities

Store locked up. Store in original tightly closed container. Store in a well-ventilated place. Store away from incompatible materials (see Section 10 of the SDS).

7.3. Specific end use(s)

Not available.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

Austria. MAK List, OEL Ordinance (GwV), BGBl. II, no. 184/2001

Isomer	Type	Value
4,4'-Methylenediphenyl diisocyanate (CAS 101-68-8)	Ceiling	0,1 mg/m ³
		0,01 ppm
	MAK	0,05 mg/m ³ 0,005 ppm

Belgium. Exposure Limit Values.

Isomer	Type	Value
4,4'-Methylenediphenyl diisocyanate (CAS 101-68-8)	TWA	0,052 mg/m ³
		0,005 ppm

Bulgaria. OELs. Regulation No 13 on protection of workers against risks of exposure to chemical agents at work

Isomer	Type	Value
4,4'-Methylenediphenyl diisocyanate (CAS 101-68-8)	STEL	0,07 mg/m ³
	TWA	0,05 mg/m ³

Cyprus. OELs. Control of factory atmosphere and dangerous substances in factories regulation, PI 311/73, as amended.

Isomer	Type	Value
4,4'-Methylenediphenyl diisocyanate (CAS 101-68-8)	TWA	0,2 mg/m ³
		0,02 ppm

Czech Republic. OELs. Government Decree 361

Isomer	Type	Value
4,4'-Methylenediphenyl diisocyanate (CAS 101-68-8)	Ceiling	0,1 mg/m ³
	TWA	0,05 mg/m ³

Denmark. Exposure Limit Values

Isomer	Type	Value
4,4'-Methylenediphenyl diisocyanate (CAS 101-68-8)	TLV	0,05 mg/m ³
		0,005 ppm

Estonia. OELs. Occupational Exposure Limits of Hazardous Substances. (Annex of Regulation No. 293 of 18 September 2001)

Components	Type	Value
4,4'-METHYLENEDIPHENYL L DIISOCYANATE (CAS 26447-40-5)	Ceiling	0,01 ppm
	TWA	0,005 ppm
Isomer	Type	Value
4,4'-Methylenediphenyl diisocyanate (CAS 101-68-8)	Ceiling	0,1 mg/m ³
	TWA	0,01 ppm
		0,05 mg/m ³
	0,005 ppm	

Finland. Workplace Exposure Limits

Components	Type	Value
4,4'-METHYLENEDIPHENYL L DIISOCYANATE (CAS 26447-40-5)	STEL	0,035 mg/m ³
Isomer	Type	Value
4,4'-Methylenediphenyl diisocyanate (CAS 101-68-8)	STEL	0,035 mg/m ³

France. Threshold Limit Values (VLEP) for Occupational Exposure to Chemicals in France, INRS ED 984

Isomer	Type	Value
4,4'-Methylenediphenyl diisocyanate (CAS 101-68-8)	VLE	0,2 mg/m ³
	VME	0,02 ppm
		0,1 mg/m ³
	0,01 ppm	

Germany. DFG MAK List (advisory OELs). Commission for the Investigation of Health Hazards of Chemical Compounds in the Work Area (DFG)

Isomer	Type	Value	Form
4,4'-Methylenediphenyl diisocyanate (CAS 101-68-8)	TWA	0,05 mg/m3	Inhalable fraction.

Germany. TRGS 900, Limit Values in the Ambient Air at the Workplace

Isomer	Type	Value	Form
4,4'-Methylenediphenyl diisocyanate (CAS 101-68-8)	AGW	0,05 mg/m3	Fume and aerosol.

Greece. OELs (Decree No. 90/1999, as amended)

Isomer	Type	Value
4,4'-Methylenediphenyl diisocyanate (CAS 101-68-8)	STEL	0,2 mg/m3
	TWA	0,02 ppm 0,2 mg/m3 0,02 ppm

Hungary. OELs. Joint Decree on Chemical Safety of Workplaces

Isomer	Type	Value
4,4'-Methylenediphenyl diisocyanate (CAS 101-68-8)	STEL	0,05 mg/m3
	TWA	0,05 mg/m3

Iceland. OELs. Regulation 154/1999 on occupational exposure limits

Isomer	Type	Value
4,4'-Methylenediphenyl diisocyanate (CAS 101-68-8)	STEL	0,1 mg/m3
	TWA	0,01 ppm 0,05 mg/m3 0,005 ppm

Ireland. Occupational Exposure Limits

Components	Type	Value
4,4'-METHYLENEDIPHENYL L DIISOCYANATE (CAS 26447-40-5)	STEL	0,07 mg/m3
	TWA	0,02 mg/m3
Isomer	Type	Value
4,4'-Methylenediphenyl diisocyanate (CAS 101-68-8)	STEL	0,07 mg/m3
	TWA	0,02 mg/m3

Italy. Occupational Exposure Limits

Isomer	Type	Value
4,4'-Methylenediphenyl diisocyanate (CAS 101-68-8)	TWA	0,005 ppm

Lithuania. OELs. Limit Values for Chemical Substances, General Requirements

Components	Type	Value
4,4'-METHYLENEDIPHENYL L DIISOCYANATE (CAS 26447-40-5)	Ceiling	0,01 ppm
	TWA	0,005 ppm
Isomer	Type	Value
4,4'-Methylenediphenyl diisocyanate (CAS 101-68-8)	Ceiling	0,1 mg/m3
	TWA	0,01 ppm 0,05 mg/m3 0,005 ppm

Norway. Administrative Norms for Contaminants in the Workplace

Components	Type	Value
4,4'-METHYLENEDIPHENYL L DIISOCYANATE (CAS 26447-40-5)	STEL	0,01 ppm
	TLV	0,005 ppm
Isomer	Type	Value
4,4'-Methylenediphenyl diisocyanate (CAS 101-68-8)	STEL	0,01 ppm
	TLV	0,05 mg/m3 0,005 ppm

Poland. MACs. Regulation regarding maximum permissible concentrations and intensities of harmful factors in the work environment, Annex 1

Components	Type	Value
4,4'-METHYLENEDIPHENYL L DIISOCYANATE (CAS 26447-40-5)	STEL	0,09 mg/m3
	TWA	0,03 mg/m3
Isomer	Type	Value
4,4'-Methylenediphenyl diisocyanate (CAS 101-68-8)	STEL	0,09 mg/m3
	TWA	0,03 mg/m3

Portugal. VLEs. Norm on occupational exposure to chemical agents (NP 1796)

Isomer	Type	Value
4,4'-Methylenediphenyl diisocyanate (CAS 101-68-8)	TWA	0,005 ppm

Romania. OELs. Protection of workers from exposure to chemical agents at the workplace

Components	Type	Value
4,4'-METHYLENEDIPHENYL L DIISOCYANATE (CAS 26447-40-5)	STEL	0,2 mg/m3
Isomer	Type	Value
4,4'-Methylenediphenyl diisocyanate (CAS 101-68-8)	STEL	0,15 mg/m3

Slovakia. OELs. Regulation No. 300/2007 concerning protection of health in work with chemical agents

Isomer	Type	Value
4,4'-Methylenediphenyl diisocyanate (CAS 101-68-8)	TWA	0,03 mg/m3
		0,002 ppm

Slovenia. OELs. Regulations concerning protection of workers against risks due to exposure to chemicals while working (Official Gazette of the Republic of Slovenia)

Isomer	Type	Value
4,4'-Methylenediphenyl diisocyanate (CAS 101-68-8)	TWA	0,05 mg/m3

Spain. Occupational Exposure Limits

Isomer	Type	Value
4,4'-Methylenediphenyl diisocyanate (CAS 101-68-8)	TWA	0,052 mg/m3
		0,005 ppm

Sweden. Occupational Exposure Limit Values

Components	Type	Value
4,4'-METHYLENEDIPHENYL L DIISOCYANATE (CAS 26447-40-5)	Ceiling	0,005 ppm

Sweden. Occupational Exposure Limit Values

Components	Type	Value
	TWA	0,002 ppm
Isomer	Type	Value
4,4'-Methylenediphenyl diisocyanate (CAS 101-68-8)	Ceiling	0,05 mg/m ³
	TWA	0,005 ppm 0,03 mg/m ³ 0,002 ppm

Switzerland. SUVA Grenzwerte am Arbeitsplatz

Components	Type	Value
4,4'-METHYLENEDIPHENYL L DIISOCYANATE (CAS 26447-40-5)	STEL	0,02 mg/m ³
Isomer	Type	Value
4,4'-Methylenediphenyl diisocyanate (CAS 101-68-8)	STEL	0,02 mg/m ³
	TWA	0,02 mg/m ³

UK. EH40 Workplace Exposure Limits (WELs)

Components	Type	Value
4,4'-METHYLENEDIPHENYL L DIISOCYANATE (CAS 26447-40-5)	STEL	0,07 mg/m ³
Isomer	Type	Value
4,4'-Methylenediphenyl diisocyanate (CAS 101-68-8)	STEL	0,07 mg/m ³
	TWA	0,02 mg/m ³
	TWA	0,02 mg/m ³

Biological limit values**Switzerland. BAT-Werte (Biological Limit Values in the Workplace as per SUVA)**

Isomer	Value	Determinant	Specimen	Sampling time
4,4'-Methylenediphenyl diisocyanate (CAS 101-68-8)	10 µg/g	4,4'-Diaminodiphenylmethan	Creatinine in urine	*

* - For sampling details, please see the source document.

Recommended monitoring procedures Follow standard monitoring procedures.

Derived no-effect level (DNEL) Not available.

Predicted no effect concentrations (PNECs) Not available.

8.2. Exposure controls

Appropriate engineering controls Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Eye wash facilities and emergency shower must be available when handling this product.

Individual protection measures, such as personal protective equipment

General information Use personal protective equipment as required. Personal protection equipment should be chosen according to the CEN standards and in discussion with the supplier of the personal protective equipment.

Eye/face protection Wear safety glasses with side shields.

Skin protection

- Hand protection Wear appropriate chemical resistant gloves.

- Other Wear appropriate chemical resistant clothing.

Respiratory protection Use a NIOSH/MSHA approved respirator if there is a risk of exposure to dust/fume at levels exceeding the exposure limits.

Thermal hazards	Wear appropriate thermal protective clothing, when necessary.
Hygiene measures	Keep away from food and drink. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Contaminated work clothing should not be allowed out of the workplace.
Environmental exposure controls	Environmental manager must be informed of all major releases.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance

Physical state	Liquid.
Form	Liquid.
Colour	Amber.
Odour	Mild.
Odour threshold	Not available.
pH	Not available.
Melting point/freezing point	71,11 °C (160 °F)
Initial boiling point and boiling range	313,89 °C (597 °F) (Decomposes)
Flash point	218,3 °C (425,0 °F)
Evaporation rate	Not available.
Flammability (solid, gas)	Not available.
Upper/lower flammability or explosive limits	
Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.
Vapour pressure	0,0003 mm Hg
Vapour density	Not available.
Relative density	Not available.
Solubility(ies)	
Solubility (water)	Not available.
Solubility (other)	Not available.
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Not available.
Explosive properties	Not available.
Oxidising properties	Not available.

9.2. Other information

Specific gravity	1,2 estimated
-------------------------	---------------

SECTION 10: Stability and reactivity

10.1. Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
10.2. Chemical stability	Material is stable under normal conditions.
10.3. Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
10.4. Conditions to avoid	Avoid temperatures exceeding the flash point. Contact with incompatible materials.
10.5. Incompatible materials	Strong oxidising agents.
10.6. Hazardous decomposition products	No hazardous decomposition products are known.

SECTION 11: Toxicological information

General information	Occupational exposure to the substance or mixture may cause adverse effects.
----------------------------	--

Information on likely routes of exposure

Inhalation	Harmful if inhaled. May cause damage to organs through prolonged or repeated exposure by inhalation. May cause allergy or asthma symptoms or breathing difficulties if inhaled.
Skin contact	Causes skin irritation. May cause an allergic skin reaction.
Eye contact	Causes serious eye irritation.
Ingestion	Harmful if swallowed.

Symptoms Dermatitis. Rash. Difficulty in breathing. Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Skin irritation. May cause redness and pain. May cause an allergic skin reaction. May cause respiratory irritation.

11.1. Information on toxicological effects

Acute toxicity Harmful if inhaled. Harmful if swallowed. May cause an allergic skin reaction. May cause respiratory irritation.

Components	Species	Test results
TRIETHYL PHOSPHATE; (TEP) (CAS 78-40-0)		
Acute		
Dermal		
LD50	Guinea pig	> 21,4 g/kg
	Rabbit	> 20 g/kg
Inhalation		
LC50	Rat	> 8,817 mg/l, 4 Hours
Oral		
LD50	Mouse	> 1,5 g/kg
	Rabbit	1,6 g/kg
	Rat	1,6 g/kg
Isomer	Species	Test results
4,4'-Methylenediphenyl diisocyanate (CAS 101-68-8)		
Acute		
Inhalation		
LC50	Rat	0,369 mg/l, 4 Hours

* Estimates for product may be based on additional component data not shown.

Skin corrosion/irritation	Causes skin irritation.
Serious eye damage/eye irritation	Causes serious eye irritation.
Respiratory sensitisation	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
Skin sensitisation	May cause an allergic skin reaction.
Germ cell mutagenicity	Due to partial or complete lack of data the classification is not possible.
Carcinogenicity	Suspected of causing cancer.

IARC Monographs. Overall Evaluation of Carcinogenicity

4,4'-Methylenediphenyl diisocyanate (CAS 101-68-8)	3 Not classifiable as to carcinogenicity to humans.
4,4'-METHYLENEDIPHENYL DIISOCYANATE (CAS 26447-40-5)	3 Not classifiable as to carcinogenicity to humans.

Reproductive toxicity	Due to partial or complete lack of data the classification is not possible.
Specific target organ toxicity - single exposure	May cause respiratory irritation.
Specific target organ toxicity - repeated exposure	May cause damage to organs through prolonged or repeated exposure.
Aspiration hazard	Due to partial or complete lack of data the classification is not possible.
Mixture versus substance information	No information available.
Other information	Not available.

SECTION 12: Ecological information

12.1. Toxicity The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Components	Species	Test results
TRIETHYL PHOSPHATE; (TEP) (CAS 78-40-0)		
Aquatic		
Fish	LC50	Fathead minnow (Pimephales promelas) > 100 mg/l, 96 hours

* Estimates for product may be based on additional component data not shown.

12.2. Persistence and degradability No data is available on the degradability of this product.

12.3. Bioaccumulative potential Not available.

Partition coefficient

n-octanol/water (log Kow)

TRIETHYL PHOSPHATE; (TEP) 0,8

Bioconcentration factor (BCF) Not available.

12.4. Mobility in soil No data available.

12.5. Results of PBT and vPvB assessment Not a PBT or vPvB substance or mixture.

12.6. Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Residual waste	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).
Contaminated packaging	Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may retain product residue, follow label warnings even after container is emptied.
EU waste code	The Waste code should be assigned in discussion between the user, the producer and the waste disposal company.
Disposal methods/information	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of contents/container in accordance with local/regional/national/international regulations.
Special precautions	Dispose in accordance with all applicable regulations.

SECTION 14: Transport information

ADR

14.1. UN number	UN2206
14.2. UN proper shipping name	ISOCYANATES, TOXIC, N.O.S. or ISOCYANATE SOLUTION, TOXIC, N.O.S. (4,4'-METHYLENEDIPHENYL DIISOCYANATE)
14.3. Transport hazard class(es)	
Class	6.1(PGIII)
Subsidiary risk	-
Label(s)	6.1
Hazard No. (ADR)	60
Tunnel restriction code	E
14.4. Packing group	III
14.5. Environmental hazards	No.
14.6. Special precautions for user	Read safety instructions, SDS and emergency procedures before handling.

RID

14.1. UN number	UN2206
14.2. UN proper shipping name	ISOCYANATES, TOXIC, N.O.S. or ISOCYANATE SOLUTION, TOXIC, N.O.S. (4,4'-METHYLENEDIPHENYL DIISOCYANATE)
14.3. Transport hazard class(es)	
Class	6.1(PGIII)
Subsidiary risk	-
Label(s)	6.1
14.4. Packing group	III
14.5. Environmental hazards	No.
14.6. Special precautions for user	Read safety instructions, SDS and emergency procedures before handling.

ADN

14.1. UN number	UN2206
------------------------	--------

14.2. UN proper shipping name	Isocyanates, Toxic, [or isocyanate solution, toxic, n.o.s.] (4,4'-METHYLENEDIPHENYL DIISOCYANATE)
14.3. Transport hazard class(es)	
Class	6.1(PGIII)
Subsidiary risk	-
Label(s)	6.1
14.4. Packing group	III
14.5. Environmental hazards	No.
14.6. Special precautions for user	Read safety instructions, SDS and emergency procedures before handling.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code Not available.

ADN; ADR; RID



SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I and II, as amended

Not listed.

Regulation (EC) No. 850/2004 On persistent organic pollutants, Annex I as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended

Not listed.

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry, as amended

Not listed.

Regulation (EC) No. 1907/2006, REACH Article 59(10) Candidate List as currently published by ECHA

Not listed.

Authorisations

Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorization, as amended

Not listed.

Restrictions on use

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use as amended

4,4'-Methylenediphenyl diisocyanate (CAS 101-68-8)

4,4'-METHYLENEDIPHENYL DIISOCYANATE (CAS 26447-40-5)

Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work, as amended

Not listed.

Directive 92/85/EEC: on the safety and health of pregnant workers and workers who have recently given birth or are breastfeeding, as amended

4,4'-Methylenediphenyl diisocyanate (CAS 101-68-8)

Other EU regulations

Directive 2012/18/EU on major accident hazards involving dangerous substances

Not listed.

Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work, as amended

4,4'-Methylenediphenyl diisocyanate (CAS 101-68-8)

4,4'-METHYLENEDIPHENYL DIISOCYANATE (CAS 26447-40-5)

TRIETHYL PHOSPHATE; (TEP) (CAS 78-40-0)

Directive 94/33/EC on the protection of young people at work, as amended

4,4'-Methylenediphenyl diisocyanate (CAS 101-68-8)

4,4'-METHYLENEDIPHENYL DIISOCYANATE (CAS 26447-40-5)

Other regulations

The product is classified and labelled in accordance with EC directives or respective national laws. This Safety Data Sheet complies with the requirements of Regulation (EC) No 1907/2006. Pregnant women should not work with the product, if there is the least risk of exposure.

National regulations

Young people under 18 years old are not allowed to work with this product according to EU Directive 94/33/EC on the protection of young people at work. Follow national regulation for work with chemical agents.

15.2. Chemical safety assessment

No Chemical Safety Assessment has been carried out.

SECTION 16: Other information

List of abbreviations

Not available.

References

Not available.

Information on evaluation method leading to the classification of mixture

The classification for health and environmental hazards is derived by a combination of calculation methods and test data, if available.

Full text of any statements or R-phrases and H-statements under Sections 2 to 15

R20 Harmful by inhalation.
R22 Harmful if swallowed.
R25 Also toxic if swallowed.
R26 Also very toxic by inhalation.
R36/37/38 Irritating to eyes, respiratory system and skin.
R40 Limited evidence of a carcinogenic effect.
R42/43 May cause sensitisation by inhalation and skin contact.
R45 May cause cancer.
R48/20 Harmful: danger of serious damage to health by prolonged exposure through inhalation.
R48/25 Also toxic: danger of serious damage to health by prolonged exposure if swallowed.
R51/53 Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
H302 Harmful if swallowed.
H315 Causes skin irritation.
H317 May cause an allergic skin reaction.
H319 Causes serious eye irritation.
H331 Toxic if inhaled.
H332 Harmful if inhaled.
H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H335 May cause respiratory irritation.
H351 Suspected of causing cancer.
H373 May cause damage to organs through prolonged or repeated exposure.

Revision information

None.

Training information

Follow training instructions when handling this material.

Issued by

Dan Libby

Disclaimer

The information offered in this data sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication, however, no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process. This material is intended for industrial use only. No warranty, expressed or implied is made.